## **Amendments To The Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## In the Claims:

What is claimed is:

1. (Original) A compound of Formula (I):

or a salt, solvate, or physiologically functional derivative thereof:

wherein:

D is  $-NRR^1$ , -OR, -SR, -S(O)R, or  $-S(O)_2R$ ;

R is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, aryl, heteroaryl, -  $C(O)NR^1R^1$ , - $C(O)OR^1$ , acyl, aroyl, or heteroaroyl;

 $R^1$  is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, or aryl;

 $R^2$  is  $C_1$ - $C_6$  alkyl or  $C_3$ - $C_7$  cycloalkyl;

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> haloalkyl, aralkyl, cyanoalkyl,

```
-(CH_2)_pC=CH(CH_2)_tH, -(CH_2)_pC=C(CH_2)_tH, or C_3-C_7 cycloalkyl;
p is 1, 2, or 3;
t is 0 or 1;
R<sup>4</sup> is hydrogen, halo, or cyano;
Q<sub>1</sub> is hydrogen, halo, C<sub>1</sub>-C<sub>2</sub> haloalkyl, C<sub>1</sub>-C<sub>2</sub> alkyl, C<sub>1</sub>-C<sub>2</sub> alkoxy, or C<sub>1</sub>-C<sub>2</sub>
haloalkoxy;
Q_2 is A^1 or A^2:
Q<sub>3</sub> is A<sup>1</sup> when Q<sub>2</sub> is A<sup>2</sup> and Q<sub>3</sub> is A<sup>2</sup> when Q<sub>2</sub> is A<sup>1</sup>;
wherein
          A<sup>1</sup> is hydrogen, halo, C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>1</sub>-C<sub>3</sub> haloalkyl, -OR<sup>5</sup>, and
          A^2 is the group defined by -(Z)_m-(Z^1)-(Z^2), wherein
           Z is CH_2 and m is 0, 1, 2, or 3, or
           Z is NR<sup>5</sup> and m is 0 or 1, or
           Z is oxygen and m is 0 or 1, or
           Z is CH<sub>2</sub>NR<sup>6</sup> and m is 0 or 1;
          Z^1 is S(O)_2, S(O), or C(O); and
           Z<sup>2</sup> is C<sub>1</sub>.C<sub>4</sub> alkyl, cycloalkyl, heterocyclyl, -NR<sup>8</sup>R<sup>9</sup>, aryl, arylamino,
aralkyl, aralkoxy, or heteroaryl;
R<sup>5</sup> and R<sup>6</sup> are each independently selected from hydrogen, hydroxyl, alkoxy,
aryloxy, aralkoxy, C<sub>1-</sub>C<sub>4</sub> alkyl, C<sub>3</sub>.C<sub>7</sub> cycloalkyl, heterocyclyl, -S(O)<sub>2</sub>R<sup>7</sup>, and -
C(O)R^{7};
```

 $R^7$  is  $C_1 \cdot C_4$  alkyl, or  $C_3 \cdot C_7$  cycloalkyl;

R<sup>8</sup> is hydrogen, hydroxyl, C<sub>1</sub>.C<sub>6</sub> alkyl, C<sub>1</sub>.C<sub>6</sub> alkoxy, aryloxy, aralkoxy, C<sub>3</sub>.C<sub>7</sub> cycloalkyl, and C3-C7 cycloalkoxy; and

R9 is hydrogen, C1-C6 alkyl, C3-C7 cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

A compound of Formula (II): 2. (Original)

or a salt, solvate, or physiologically functional derivative thereof:

## wherein:

R is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, aryl, heteroaryl, -  $C(O)NR^1R^1$ , - $C(O)OR^1$ , acyl, aroyl, or heteroaroyl;

R<sup>1</sup> is hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aralkyl, or aryl;

R<sup>2</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl or C<sub>3</sub>-C<sub>7</sub> cycloalkyl;

 $R^3$  is hydrogen,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl, aralkyl, cyanoalkyl, -( $CH_2$ ) $_pC$ = $CH(CH_2)_tH$ , -( $CH_2$ ) $_pC$ = $C(CH_2)_tH$ , or  $C_3$ - $C_7$  cycloalkyl; p is 1, 2, or 3;

t is 0 or 1;

R<sup>4</sup> is hydrogen, halo, or cyano;

 $Q_1$  is hydrogen, halo,  $C_1$ - $C_2$  haloalkyl,  $C_1$ - $C_2$  alkyl,  $C_1$ - $C_2$  alkoxy, or  $C_1$ - $C_2$  haloalkoxy;

 $Q_2$  is  $A^1$  or  $A^2$ ;

 $Q_3$  is  $A^1$  when  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^2$  when  $Q_2$  is  $A^1$ ; wherein

 $A^1$  is hydrogen, halo,  $C_1$ - $C_3$  alkyl,  $C_1$ - $C_3$  haloalkyl, -OR<sup>5</sup>, and  $A^2$  is the group defined by -(Z)<sub>m</sub>-(Z<sup>1</sup>)-(Z<sup>2</sup>), wherein

Z is CH<sub>2</sub> and m is 0, 1, 2, or 3, or

Z is NR<sup>5</sup> and m is 0 or 1, or

Z is oxygen and m is 0 or 1, or

Z is CH<sub>2</sub>NR<sup>6</sup> and m is 0 or 1;

 $Z^1$  is  $S(O)_2$ , S(O), or C(O); and

Z<sup>2</sup> is C<sub>1-</sub>C<sub>4</sub> alkyl, cycloalkyl, heterocyclyl, -NR<sup>8</sup>R<sup>9</sup>, aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

 $R^5$  and  $R^6$  are each independently selected from hydrogen, hydroxyl, alkoxy, aryloxy, aralkoxy,  $C_1.C_4$  alkyl,  $C_3.C_7$  cycloalkyl, heterocyclyl,  $-S(O)_2R^7$ , or  $-C(O)R^7$ ;

R<sup>7</sup> is C<sub>1</sub>.C<sub>4</sub> alkyl, or C<sub>3</sub>.C<sub>7</sub> cycloalkyl;

 $R^8$  is hydrogen, hydroxyl,  $C_1 \cdot C_6$  alkyl,  $C_1 \cdot C_6$  alkoxy, aryloxy, aralkoxy,  $C_3 \cdot C_7$  cycloalkyl, or  $C_3 \cdot C_7$  cycloalkoxy; and

R<sup>9</sup> is hydrogen, C<sub>1-</sub>C<sub>6</sub> alkyl, C<sub>3-</sub>C<sub>7</sub> cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

- 3. (Original) A compound as claimed in claim 1, wherein D is -NRR<sup>1</sup>.
- 4. (Original) A compound as claimed in claim 1, wherein D is  $-NRR^1$  and R is  $C_1$ - $C_8$  alkyl, aryl, or aralkyl and  $R^1$  is hydrogen.
- 5. (Original) A compound as claimed in claim 1, wherein D is –NRR<sup>1</sup>, wherein R is methyl, isopropyl, benzyl, or phenyl and R<sup>1</sup> is hydrogen.
- 6. (Currently Amended) A compound as claimed in claim 1 or 2, wherein R<sup>2</sup> is C<sub>1</sub>-C<sub>8</sub> alkyl.
- 7. (Currently Amended) A compound as claimed in claim 1 or 2, wherein R<sup>2</sup> is methyl.

- 8. (Currently Amended) A compound as claimed in claim 1 or 2, wherein In one embodiment, R³ is hydrogen, C₁-C₄ alkyl, cyanoalkyl, or (CH₂)₀C≡C(CH₂)₁H.
- 9. (Currently Amended) A compound as claimed in claim 1 or 2, wherein[[,]] R³ is hydrogen, methyl, ethyl, isopropyl, cyanomethyl, or (CH₂)<sub>p</sub>C≡C(CH₂)<sub>t</sub>H, wherein p is 1 and t is 0.
- 10. (Currently Amended) A compound as claimed in claim 1 er-2, wherein R<sup>3</sup> is methyl.
- 11. (Currently Amended) A compound as claimed in claim 1 er 2, wherein R<sup>4</sup> is hydrogen or halo.
- 12. (Currently Amended) A compound as claimed in claim 1 or 2, wherein In a preferred embodiment, R<sup>4</sup> is hydrogen.
- 13. (Currently Amended) A compound as claimed in claim 1 er 2, wherein  $Q_1$  is hydrogen, halo,  $C_1$ - $C_2$  alkyl or  $C_1$ - $C_2$  alkoxy.
- 14. (Currently Amended) A compound as claimed in claim 1 er 2, wherein Q<sub>1</sub> is hydrogen, chloro, methyl, or methoxy.
- 15. (Currently Amended) A compound as claimed in claim 1 er 2, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ .
- 16. (Currently Amended) A compound as claimed in claim 1 er 2, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ .
- 17. (Currently Amended) A compound as claimed in claim 1 er 2, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ , wherein  $A^1$  is hydrogen, halo, or  $C_1.C_3$  haloalkyl and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein Z is  $CH_2$  and m is 0 or 1;  $Z^1$  is

- $S(O)_2$ ; and  $Z^2$  is  $C_1.C_4$  alkyl or  $NR^8R^9$  and wherein  $R^8$  is hydrogen  $C_1.C_4$ alkyl, or alkoxy and  $R^9$  is hydrogen,  $C_1.C_4$ alkyl, or alkoxy.
- 18. (Currently Amended) A compound as claimed in claim 1 or 2, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ , wherein  $A^1$  is hydrogen or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein Z is  $CH_2$  and m is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is methyl or  $-NH_2$ .
- 19. (Currently Amended) A compound as claimed in claim 1 or 2, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , wherein  $A^1$  is hydrogen, halo, or  $C_1 \cdot C_3$  alkyl and  $A^2$  is the group defined by  $-(Z)_m (Z^1) (Z^2)$ , wherein Z is  $CH_2$  and M is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $C_1 \cdot C_4$  alkyl or  $NR^8R^9$ , and wherein  $R^8$  is hydrogen  $C_1 \cdot C_4$  alkyl, or alkoxy and  $R^9$  is hydrogen,  $C_1 \cdot C_4$  alkyl, or alkoxy.
- 20. (Currently Amended) A compound as claimed in claim 1 or 2, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , wherein  $A^1$  is hydrogen, methyl, or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein Z is  $CH_2$  and m is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $NR^8R^9$ , wherein  $R^8$  is methoxy and  $R^9$  is hydrogen.
- 21. (Original) A compound as claimed in claim 1, wherein[[,]] D is NRR<sup>1</sup>, where R is  $C_1$ - $C_8$  alkyl, aryl, or aralkyl and R<sup>1</sup> is hydrogen; R<sup>2</sup> is  $C_1$ - $C_8$  alkyl. R<sup>2</sup> is methyl; R<sup>3</sup> is methyl; R<sup>4</sup> is hydrogen; Q<sub>1</sub> is hydrogen, chloro, methyl, or methoxy; Q<sub>2</sub> is A<sup>2</sup> and Q<sub>3</sub> is A<sup>1</sup>, where A<sup>1</sup> is hydrogen or chloro and A<sup>2</sup> is the group defined by -(Z)<sub>m</sub>-(Z<sup>1</sup>)-(Z<sup>2</sup>), where Z is CH<sub>2</sub> and m is 0 or 1; Z<sup>1</sup> is S(O)<sub>2</sub>; and Z<sup>2</sup> is methyl or –NH<sub>2</sub>.
- 22. (Original) A compound as claimed in claim 1, wherein D is  $-NRR^1$ , where R is  $C_1$ - $C_8$  alkyl, aryl, or aralkyl and  $R^1$  is hydrogen;  $R^2$  is  $C_1$ - $C_8$  alkyl.  $R^2$  is methyl;  $R^3$  is methyl;  $R^4$  is hydrogen;  $Q_1$  is hydrogen, chloro, methyl, or methoxy;  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , where  $A^1$  is hydrogen, methyl, or chloro and  $A^2$  is the group defined by -( $Z_1$ )-( $Z_2$ ), where  $Z_1$  is  $Z_2$ 0 and  $Z_3$ 1 is  $Z_3$ 2 is  $Z_4$ 3 is methoxy and  $Z_3$ 3 is hydrogen.

23. (Original) A compound as claimed in claim 1, selected from the group consisting of:

 $N^2$ -isopropyl- $N^5$ ,1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl} amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

 $N^2$ -isopropyl- $N^5$ ,1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino) pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

1-{4-[(4-{methyl[1-methyl-2-(methylamino)-1*H*-benzimidazol-5-yl]amino}pyrimidin-2-yl)amino]phenyl}methanesulfonamide;

 $N^2$ -benzyl- $N^5$ ,1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

 $N^5$ ,1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]- $N^2$ -phenyl-1H-benzimidazole-2,5-diamine; and

5-({4-[[2-(benzylamino)-1-methyl-1*H*-benzimidazol-5-yl](methyl)amino]pyrimidin-2-yl}amino)-*N*-methoxy-2-methylbenzenesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

24. (Original) A compound as claimed in claim 1, selected from the group:

3-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidinylamino}-2-methyl-benzenesulfonamide;

(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

 $N^2$ -(4-fluoro-benzyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

3-(4-{[2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

 $N^{\delta}$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^{\ell}$ -(4-methoxybenzyl)-1,  $N^{\delta}$ -dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{[2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methylamino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

5-(4-{[2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

3-(4-{[2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methylamino}-pyrimidin-2-ylamino)-benzenesulfonamide;

 $N^2$ -(3-fluoro-benzyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{[2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

3-(4-{[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methylamino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

2-[4-(4-{[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

 $N^2$ -(4-chloro-benzyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

3-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

 $N^2$ -benzyl-1-ethyl- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^5$ -methyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-(4-{[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylmethyl)-benzenesulfonamide;

5-(4-{[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

[4-(4-{[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

2-methyl-5-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

[4-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-{[2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

3-(4-{[2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

[4-(4-{[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid-3-(4-{[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

 $N^5$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^{\delta}$ -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^{\epsilon}$ -(4-methoxy-benzyl)-1,  $N^{\delta}$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^2$ -(4-methoxybenzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^2$ -benzyl- $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

 $N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

 $N^{\delta}$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^{\delta}$ -dimethyl- $N^{2}$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

2-methyl-5-(4-{methyl-[1-methyl-2-(4-methyl-benzylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

 $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

 $N^5$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl- $N^2$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

 $N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl- $N^2$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine; and

 $N^{\delta}$ -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^{\delta}$ -dimethyl- $N^{2}$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine; or a salt, solvate, or physiologically functional derivative thereof.

25. (Original) A compound as claimed in claim 1, selected from the group:

(1-methyl-5-{methyl-[2-(3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

3-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(1-methyl-5-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

 $N^5$ -[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -phenyl-1H-benzoimidazole-2,5-diamine;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -phenyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

methanesulfonic acid 4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl ester;

3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

 $N^2$ -(4-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid 4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

methanesulfonic acid 3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -p-tolyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

 $N^2$ -(4-tert-butyl-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^2$ -(4-methoxy-phenyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

(4-methoxy-phenyl)-(1-methyl-5-{methyl-[2-(4-sulfamoylmethyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-carbamic acid tert-butyl ester;

[4-(4-{[2-(4-methoxy-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

 $N^{\delta}$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^{\epsilon}$ -(4-methoxy-phenyl)-1,  $N^{\delta}$ -dimethyl-1H-benzoimidazole-2,5-diamine;

[5-({2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl]-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

 $N^5$ -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-phenyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine; and

 $N^5$ -{2-[3-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-phenyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

26. (Original) A compound as claimed in claim 1, selected from the group:

3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

2-chloro-5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

2-(4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

methanesulfonic acid 4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

methanesulfonic acid 3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

 $N^2$ -isopropyl- $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

3-[4-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-ylamino)-pyrimidin-2-ylamino]-benzenesulfonamide;

2-methyl-5-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -phenethyl-1H-benzoimidazole-2,5-diamine;

2-(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

 $N^2$ -tert-Butyl- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^2$ -cyclohexyl- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

5-{4-[(2-cyclohexylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

 $N^2$ -cyclohexyl- $N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^2$ -cyclohexyl- $N^5$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyridin-4-yl}-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

 $N^2$ -cyclohexyl- $N^5$ -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

2-methyl-5-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

 $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^2$ ,  $N^5$ -trimethyl-1H-benzoimidazole-2,5-diamine; and

(4-{4-[(1-ethyl-2-methylamino-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

27. (Original) A compound as claimed in claim 1, selected from the group:

 $N^1$ -methyl- $N^5$ -[2-(4-Methanesulfonymethyl-phenylamino)-pyrimidin-4-yl]- $N^5$ -methyl- $N^2$ -(4-trifluoromethyl-phenyl)-1H-benzoimidazole-2,5-diamine;

 $N^2$ -(3-chloro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^1$ ,  $N^5$ -dimethyl-1 H-benzoimidazole-2,5-diamine;

 $N^2$ -(4-chloro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^1$ ,  $N^5$ -dimethyl-1 H-benzoimidazole-2,5-diamine;

 $N^2$ -(2,4-dichloro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1 *H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2,5-dichloro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^1$ , $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-chloro-4-trifluoromethyl-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-chloro-5-trifluoromethyl-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-  $N^2$ -(4-morpholin-4-yl-phenyl)-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(3-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^1$ ,  $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2,4-difluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ , $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-chloro-4-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yll-  $N^1$ ,  $N^5$ -dimethyl-1 *H*-benzoimidazole-2,5-diamine;

 $N^2$ -(4-chloro-2-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-chloro-5-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1 *H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-fluoro-4-methyl-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1*H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-fluoro-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^1$ ,  $N^5$ -dimethyl-1 *H*-benzoimidazole-2,5-diamine;

 $N^2$ -(2-fluoro-5-trifluoromethyl-phenyl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-1 H-benzoimidazole-2,5-diamine;

4-{4-[methyl-(1-methyl-2-methylsulfanyl-1H -benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzene sulfonamide;

4-{4-[(2-methanesulfinyl-1-methyl-1H --benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzensulfonamide;

4-(4-{methyl-[1-methyl-2-(4-trifluoromethyl-phenylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

(methyl-nitro-1H-benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-amine;

(methyl-nitro-1H -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

(amino-methyl-1 -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

[(2-chloro-pyrimidin-4-yl)-methyl-amino]-methyl-1H -benzoimidazol-2-yl}-(3-trifluoromethyl-phenyl) -carbamic acid dimethyl-ethyl ester; and

 $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-  $N^1$ ,  $N^5$ -dimethyl-  $N^2$ -(3-trifluoromethyl-phenyl)-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

28. (Original) A compound as claimed in claim 1, selected from the group:

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)- $N^5$  [2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, $N^5$ -dimethyl-1H-methyl-amino -benzoimidazole-2,5-diamine;

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)- $N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1-1H-benzoimidazole-2,5-diamine;

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)- $N^5$ --[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H--benzoimidazole-2,5-diamine;

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)- $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,N5-dimethyl-1-H-benzoimidazole-2,5-diamine;

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)- $N^5$ -[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1-1H-benzoimidazole-2,5-diamine;

5-(4-{[2-(5-tert--butyl-isoxazol-3-ylamino)-1-methyl-1-H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

 $N^2$ -(6-fluoro-4-H benzo[1,3]dioxin-8-ylmethyl)-  $N^5$  -[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H-benzoimidazole-2,5-diamine: and

 $N^2$ -(5-tert-butyl-isoxazol-3-yl)-1-methyl- $N^5$ - {2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyr imidin-4-yl}-1H -benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

29. (Original) A compound as claimed in claim 1, selected from the group:

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-N-phenylurea;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)indoline-1-carboxamide;

*N*-(5-tert-butylisoxazol-3-yl)-N'-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl) methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)urea;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-2-phenylacetamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-1-phenylcyclopropanecarboxamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)isonicotinamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)cyclohexanecarboxamide;

2-(benzyloxy)-N-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl] phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide;

2-(3-methylisoxazol-5-yl)-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl) methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide; and

3-[(dimethylamino)methyl]-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl) methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

or a salt, solvate, or physiologically functional derivative thereof.

30. (Original) A compound as claimed in claim 1, selected from the group:

*N*-({[3-(4-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl) -C-thiophen-2-yl-acetamide;

C-fluoro-*N*-({[3-(3-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-trifluoromethyl-benzamide;

difluoro-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-benzamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-3,5-bis-trifluoromethyl-benzamide;

cyclohexanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-methyl-benzamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

C-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(3,5-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfanyl-phenyl)-acetamide;

(2,4-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2-fluoro-5-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

3H-benzotriazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3H-benzoimidazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-3-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-C-thiophen-2-yl-acetamide;

3-methyl-thiophene-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

furan-3-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3-methyl-furan-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

C-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfanyl-phenyl)-acetamide;

C-(fluoro-trifluoromethyl-phenyl)-*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-dimethyl-butyramide;

2-propyl-pentanoic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-isobutyramide;

cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

4-methoxy-*N*-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-benzamide;

furan-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-C-thiophen-2-yl-acetamide;

C-(chloro-trifluoromethyl-phenyl)-N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;

4-methoxy-*N*-[methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-benzamide;

*N*-[methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

furan-2-carboxylic acid [methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

3-methyl-furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

N-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

furan-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-dimethyl-butyramide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-propionamide;

pentanoic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-butyramide;

phenyl- N -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

phenylcyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

- 1-(2,5-difluoro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrim idin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;
- 1-(4-chloro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin -4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;
- 2-(4-fluoro-phenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

- (3,5-bistrifluoromethyl-phenyl)- N -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1 H -benzoimidazol-2-yl)-acetamide;
- (3,4-dichlorophenyl)- N -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1 H -benzoimidazol-2-yl)-acetamide;
- 1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrim idin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;
- (2,5-difluorophenyl)- *N* -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- (3,4-dichlorophenyl)- N -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;
- 1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-py rimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;
- (2,5-difluorophenyl)- N -({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino }-methyl-1H -benzoimidazol-2-yl)-acetamide;
- 1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-py rimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;
- 3,4-dichlorophenyl- *N*-({[2-(5-ethanesulfoyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenyla mino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;
- 1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenyla mino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;
- (3,4-dichlorophenyl)- N -(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amin o}-1H -benzoimidazol-2-yl)-acetamide;
- 2-(2,3-dimethoxyphenyl)- N-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

- 2-(2-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(2-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- (2,5-difluorophenyl)- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- (2,3-difluorophenyl)- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3,4-dimethoxyphenyl)- N-(5- $\{[2$ -(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;
- (2,5-difluorophenyl)- N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;
- 1-(3,4-dichloro-phenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;
- 2-(2-chlorophenyl)- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3-chlorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(4-chlorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- 2-(3,5-dimethoxyphenyl)- N-(5- $\{[2$ -(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

- 2-(2,5-dimethoxyphenyl)- N-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;
- (2,5-dichlorophenyl)- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-methyl-C-phenyl-butyramide;
- (3,5-dimethylphenyl)- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;
- N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-phenyl-isobutyramide; and

benzo[1,3]dioxol-5-yl-N-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

or a salt, solvate, or physiologically functional derivative thereof.

- 31. (Currently Amended) A pharmaceutical composition, comprising: a therapeutically effective amount of a compound as claimed in any one of claime 1 to 30, or a salt, solvate, or a physiologically functional derivative thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.
- 32. (Original) The pharmaceutical composition of claim 31, further comprising at least one additional anti-neoplastic agent.
- 33. (Original) The pharmaceutical composition of claim 31, further comprising an additional agent which inhibits angiogenesis.
- 34. (Currently Amended) A method of treating a disorder in a mammal, said disorder being mediated by at least one of inappropriate TIE-2 and VEGFR-2 activity, comprising: administering to said mammal a therapeutically effective amount of a compound as claimed in any one of claims 1 to 30, or a salt, solvate, or a physiologically functional derivative thereof.

- 35. (Original) The method of claim 34, wherein the disorder is cancer.
- 36. (Cancelled)
- 37. (Cancelled)
- 38. (Cancelled)
- 39. (Currently Amended) A method of treating cancer in a mammal, comprising: administering to said mammal a therapeutically effective amount of a compound as claimed in any one of claims 1 to 30, or a salt, solvate, or a physiologically functional derivative thereof.
- 40. (Original) The method of claim 39, further comprising administering a therapeutically effective amount of at least one additional anti-cancer therapy.
- 41. (Currently Amended) The method of claim 40, wherein the additional anti-cancer therapy is administered concomitantly with the administration of the compound, salt, solvate or physiologically functional derivative as claimed in any one of claims 1 to 30.
- 42. (Currently Amended) The method of claim 40, wherein the additional anti-cancer therapy is administered after the administration of the compound, salt, solvate or physiologically functional derivative as claimed in any one of claims 1 to 30.
- 43. (Currently Amended) The method of claim 40, wherein the additional anti-cancer therapy is administered before the administration of the compound, salt, solvate or physiologically functional derivative as claimed in any-one of claims 1 to 30.

- 44. (Currently Amended) A method of treating a disorder in a mammal, said disorder being mediated by at least one of inappropriate TIE-2 and VEGFR-2 activity, comprising: administering to said mammal therapeutically effective amounts of (i) a compound as claimed in any one of claims 1 to 30, or a salt, solvate or physiologically functional derivative thereof and (ii) an agent to inhibit growth factor receptor function.
- 45. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of platelet derived growth factor receptor.
- 46. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of epidermal growth factor receptor.
- 47. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of the erbB2 receptor.
- 48. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of a VEGF receptor.
- 49. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of the TIE-2 receptor.
- 50. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of the epidermal growth factor receptor and erbB2.
- 51. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of at least two of the epidermal growth factor receptor, erbB2, and erbB4.

- 52. (Original) The method of claim 44, wherein the agent to inhibit growth factor receptor function inhibits the function of the VEGF receptor and the TIE-2 receptor.
- 53. (Original) The method of claim 44, wherein the disorder is cancer.
- 54. (Currently Amended) A method of treating a disorder in a mammal, said disorder being characterized by inappropriate angiogenesis, comprising: administering to said mammal a therapeutically effective amount of a compound as claimed in any one of claims 1 to 30, or a salt, solvate or physiologically functional derivative thereof.
- 55. (Original) The method of claim 54, wherein the inappropriate angiogensesis results from at least one of inappropriate VEGFR1, VEGFR2, VEGFR3 or TIE-2 activity.
- 56. (Original) The method of claim 54, wherein the inappropriate angiogenesis results from inappropriate VEGFR2 and TIE-2 activity.
- 57. (Original) The method of claim 54, further comprising administering a therapeutically effective amount of a VEGFR2 inhibitor.
- 58. (Currently Amended) The method of claim 54, wherein the compound as claimed in any one of claims 1 to 17 inhibits TIE-2 and VEGFR-2 activity.
- 59. (Original) The method of claim 54, wherein the disorder is cancer.
- 60. (Cancelled)